



2 floor Through-floor Lift

elevating excellence



Through-floor Lift

Elevating excellence with a modern and unobtrusive solution to providing access over 2 floors

At Pollock Lifts, we have been specialising in lift access since 1983, and our understanding of our customers' concerns has driven both our pioneering design and our friendly, efficient service every step of the way. We are committed to providing you with the latest state-of-the-art lift technology, so that you can be assured of ultimate comfort and safety as you enjoy the freedom of your house. It is therefore with great enthusiasm that we introduce the latest **Through-floor Lift** edition.

3 MODELS TO CHOOSE FROM

Seated

A much smaller footprint than any other lift - ideal for restricted spaces



Wheelchair

Your lift can be tailored to meet your individual needs



Side-hung*

A unique product to Pollock Lifts, the Side-hung model was developed to add greater flexibility to the range



12 NEW IMPROVEMENTS

Pollock Lifts latest **Next Generation Through-floor Lift** edition, has numerous improvements to its technical specification. While retaining its modern design and elegant curves, the Through-floor Lift now offers:

- › Improved aesthetics
- › Greater reliability and premium performance
- › Quiet Operation
- › Quicker Installation and simpler servicing

Standard Features

- › 750mm x 1100mm internal car size
- › Dual level travel
- › Hydraulic or Traction Drive
- › Vision panels and power door
- › In car lighting, mirror and easy clean flooring
- › Fully compliant with BS5900 and CE compliant
- › Emergency alarm and full safety edging on all areas

Optional Features

- › Range of seats - fixed, tip-up, perching, sliding
- › In car telephone and Remote controls, joystick
- › Range of car sizes - suitable for a broad range of wheelchairs
- › Customisation on request

Unique to Pollock Lifts

- › **Auto homing system** as standard - in the event of a fire the lift will automatically move to the upper level providing 30 minute fire protection in accordance with BS5900
- › **Traction drive system** - when travel exceeds 3.5m or when space is tight. Soft start/stop is standard on this drive system
- › **Side-hung Lift** - when space is at a premium
- › Unique **self levelling mechanism** for uneven floors
- › Unique **remote monitoring system** - a modem can be plugged into the lift to monitor the lift performance

* Previous model available only
Photo is for illustration purposes

Seated Model:

Internal Size	Trimmed Aperture Size	Footprint Door Closed	Footprint Door Open	Minimum Shaft Size
542 x 760	722 x 1065	690 x 1015	690 x 1560	760 x 1085

All measurements are in millimetres (mm)



Wheelchair Model:

Internal Size	Trimmed Aperture Size	Footprint Door Closed	Footprint Door Open	Minimum Shaft Size
750 x 1100	930 x 1400	900 x 1350	900 x 2100	970 x 1420
750 x 1175	930 x 1475	900 x 1425	900 x 2175	970 x 1495
750 x 1250	930 x 1550	900 x 1500	900 x 2250	970 x 1570
800 x 1100	980 x 1400	950 x 1350	950 x 2150	1020 x 1420
800 x 1175	980 x 1475	950 x 1425	950 x 2225	1020 x 1495
800 x 1250	980 x 1550	950 x 1500	950 x 2300	1020 x 1570
850 x 1100	1030 x 1400	1000 x 1350	1000 x 2200	1070 x 1420
850 x 1175	1030 x 1475	1000 x 1425	1000 x 2275	1070 x 1495
850 x 1250	1030 x 1550	1000 x 1500	1000 x 2350	1070 x 1570

All measurements are in millimetres (mm)



Side-hung Model:

Internal Size	Trimmed Aperture Size	Footprint Door Closed	Footprint Door Open	Minimum Shaft Size
725 x 1085	1000 x 1250	975 x 1220	975 x 1920	1050 x 1300
725 x 1185	1000 x 1350	975 x 1320	975 x 2020	1050 x 1400

All measurements are in millimetres (mm)





Also from Pollock Lifts...



Independence Steplift Range

...the next generation in 1 metre step lift access



2m Independence Steplift Range

...reaching new heights with 2 metre lift access



Disabled Access Range

...offering freedom in any environment with multi-level access lifts

For further information contact Pollock Lifts:

Unit 1 Sloefield Drive, Trooperslane Industrial Estate,
Carrickfergus, Co. Antrim BT38 8GX

Tel: +44 (0) 28 9336 8167

Email: info@pollocklifts.co.uk

www.pollocklifts.co.uk

NOTE: Specification is correct at time of print and is subject to change as part of our ongoing Research and Development programme.